



WEICON®

WEICON Solutions for

Maintenance



www.weicon.com

V 1.18

For further packing sizes and more
detailed product information, please
visit our website www.welcon.com



Technical Sprays and Technical Liquids

Technical sprays and liquid substances are used in almost all areas of industry. They are used for the care and protection of

surfaces, for cleaning and degreasing, lubricating, releasing and separating and are an indispensable part of daily work.

Cleaner Spray S

- powerful
- evaporates without residues
- not regreasing

400 ml ✓
11202500

5 L ✓
15200005

Multi Foam

- powerful universal cleaner for residue-free cleaning
- cleans the most diverse types of surfaces such as metal, plastic, glass, ceramics or lacquered and coated surfaces

400 ml ✓
11200400

Surface Cleaner

- for pretreatment of bonding surfaces
- evaporates quickly without residues
- for metal and plastic

400 ml ✓
11207400

5 L ✓
15207005

Citrus Cleaner

- universal cleaner based on citrus peel extracts
- cleans machines and systems, precision engineering components and precision mechanisms

400 ml ✓
11217400

5 L ✓
15210005



Rust Shock

- the chemical wrench
- free of mineral oil, grease and silicone
- loosens threaded joints within a very short time

400 ml ✓
11151400

Rust Converter

- rust converter and base coat in one process
- protects from corrosion and is suitable for internal and external use

400 ml ✓
11155400



WSD 400 Pressurized-Air Spray Can

- refillable
- made of aluminium
- container volume of 400 ml

400 ml ✓
15811400



Rust Protection 2000 PLUS

- high corrosion and weathering resistance

400 ml ✓
11012400

400 ml ✓
11013400

charcoal-grey silver-grey

Sealant and Adhesive Remover

- removes residues of hardened sealants and adhesives as well as lacquers and paints
- can be used on metal, wood, glass, ceramics, polyethylene and polypropylene

400 ml ✓
11202400

5 L ✓
15213005

Silicone Spray

- sliding and release agent
- provides a durable separating film
- high sliding effect

400 ml ✓
11350400

Alu Grinding Protection

- effective with all abrasives
- silicone-free
- the grinding performance can be increased by up to 350%

400 ml ✓
11451400

Contact Spray

- protection and care of electrical contacts and components
- keeps contacts, fuses and cable connections free of oxidation

400 ml ✓
11152400

Bio-Cut

- drilling and tapping oil
- biodegradable
- enables higher cutting performance

250 ml ✓
15750002

400 ml ✓
11750400

5 L ✓
15750005



Zinc Spray bright grade

- cathodic corrosion protection
- >550 hours salt spray test according to DIN EN ISO 9227

400 ml ✓
11001400




WEICON Solutions for

Maintenance

Technical Sprays and Technical Liquids

Double Nozzle | Only for the 500 ml product



W 44 T® Multi-Spray

- lubricates mechanical precision devices
- dispels moisture
- protects against corrosion

400 ml 500 ml 5 L
11261400 11251550 15251005



Belt Dressing Spray

- prevents belt slip
- for all kinds of drive belts
- can also be used during ongoing operation

400 ml
11511400

Pneuma-Lube

- lubricant for pneumatic equipment
- excellent weathering resistance
- high content of PTFE

400 ml 1 L
11260400 15260001



Leak Detection Spray

- convenient and reliable location of leaks
- non flammable, anticorrosive
- skin-friendly
- DVGW-approval

400 ml 5 L
11651400 15400005



Leak Detection Spray frost-proof

- convenient and reliable location of leaks
- frost-proof up to -15°C (+5°F)
- non flammable, anticorrosive
- DVGW-approval

400 ml 5 L
11654400 15404005



Leak Detection Spray viscous

- convenient and reliable location of leaks
- non flammable, anticorrosive
- high viscosity
- on vertical surfaces

400 ml 5 L
11653400 15403005

Epoxy Adhesives

Fast-Metal Minute Adhesive

- highly filled
- fast-curing
- gap-filling

24 ml
10551024



-50°C to +145°C
(-58°F to +293°F)



Epoxyd-Minutenkleber

- zähflüssig
- selbstnivellierend
- schnellhärtend

24 ml
10550024

Can alternatively be processed with Quadro Mixing Nozzle (Art.-No. 10650005).



Plastic-Bond


- excellent adhesion on plastics
- high strength
- shock and impact resistant

24 ml
10565024

Can alternatively be processed with Quadro Mixing Nozzle (Art.-No. 10650005).



Quadro Mixing Nozzle



10650005

For further packing sizes and more
detailed product information, please
visit our website www.weicon.com



WEICONLOCK® - Anaerobic adhesives and sealants

Especially designed for economical threadlocking, retaining and sealing of threaded, cylindrical and pipe assemblies. After curing, the adhesive bonding is resistant to vibration, impact, chemicals, solvents and temperature from -60°C to +200 °C (-76°F to +392°F).

AN 302-43



- threadlocking
- thread connections up to M 36
- drinking water and DVGW approval

higher viscosity
medium strength
disassembly with normal tools

50 ml

30243150



AN 302-70



- locking of threads and stud bolts
- thread connections up to M 36
- drinking water and DVGW approval

medium viscosity
high strength
hard to disassemble

50 ml

30270150

AN 305-42



- hydraulic and pneumatic sealing
- DVGW approval

medium viscosity
medium strength
disassembly with normal tools

50 ml

30542150



AN 305-72



- pipe and flange sealing with PTFE
- immediate sealing effect
- drinking water and DVGW approval

high viscosity
medium strength
disassembly with normal tools

50 ml

30572150



AN 306-38



- adhesive for bearings and bolts
- for bearings, bushings, gear wheels and bolts when gaps are up to 0,2 mm

medium viscosity
high strength
hard to disassemble

50 ml

30638150

AN 305-77



- sealing of threaded pipes and fittings
- drinking water and DVGW approval

high viscosity
high strength
hard to disassemble

50 ml

30577150

300 ml

30577300



BAM tested and safety-related evaluated-
according to leaflet M 031-1
"List of non metallic materials
compatible with oxygen"
(DGUV information 213-078) of BG RCI

Contact – Cyanoacrylate Adhesives

WEICON Contact are solvent-free instant adhesives. They bond various materials, such as metal, glass, wood, plastic, ceramic, leather and rubber, to and among each other in seconds.



VA 100

- Cyanoacrylate Adhesive for rubber and plastics
- medium viscosity
- slightly longer curing

30 g

12505030



WEICON O-Ring Bonding Set

Content:

12603012 **Contact VA 30 Black** 12 g

11207150 **Surface Cleaner** 150 ml

12450010 **Contact Primer** 10 ml

99950243 **WEICON Cuttermesser**

1 m round cord (NBR) each:

Ø 2, 3, 4, 6 und 8 mm

Set

12508030



WEICON Solutions for

Maintenance

Elastic Adhesives and Sealants

Elastic adhesives and sealants are used today in many areas of industrial production and assembly. They combine the advantages of adhesive bonding and sealing technology and are used wherever

the elasticity and the sealing of a joint are the most important requirements.



Speed-Flex®

- replaces traditional fixings
- high initial strength; also suitable for vertical surfaces
- for in- and outside applications
- LFGB und ISEGA approval



310 ml	<input checked="" type="checkbox"/>	310 ml	<input checked="" type="checkbox"/>
13600310		13602310	

white grey



Flex+bond®

- highly elastic and strong
- LFGB und ISEGA approval
- free of silicone

200 ml	<input checked="" type="checkbox"/>						
13350200		13352200		13351200		13353200	

Press pack white Press pack black Press pack grey Press pack transparent

85 ml	<input checked="" type="checkbox"/>						
13350085		13352085		13351085		13353085	

white black grey transparent

Assembly Pastes

All kinds of influencing factors, e.g. moisture, temperature or friction, repeatedly lead to corrosion damage, seizure and wear on machines and installations.

Extensive repair and maintenance work at considerable costs are the consequence.

Especially under extreme conditions of application, e.g.

- high operation temperatures
 - high pressure loads
 - outdoor weather conditions
- such consequences frequently occur.

Black-Seal

- extremely resistant against oil, grease and chemicals
- high-temperature-resistant (+280°C / +536°F)
- for bonding and sealing

85 ml	<input checked="" type="checkbox"/>	200 ml	<input checked="" type="checkbox"/>	310 ml	<input checked="" type="checkbox"/>
13050085		13051200		13051310	

Tube Press pack Cartridge



HT 300

- high-temperature-resistant from -60°C to +300°C (-76°F to +572°F)
- solid percentage of 100%

85 ml	<input checked="" type="checkbox"/>	310 ml	<input checked="" type="checkbox"/>
13050085		13050310	

Tube Cartridge



Threadlocking Varnish

- protection and safety against manipulation
- solvent-based, fast drying securing
- durable against water, petrol, diesel, mineral oil, paraffin oil and diluted acids and lyes

30 g	<input checked="" type="checkbox"/>	30 g	<input checked="" type="checkbox"/>	30 g	<input checked="" type="checkbox"/>
30020030		30021030		30022030	

red yellow green



Anti-Seize

- long-lasting protection against corrosion, seizure and wear
- high-temperature-resistant up to +1.200°C (+2192°F)
- exceptionally good separating effect

200 ml	<input checked="" type="checkbox"/>	400 ml	<input checked="" type="checkbox"/>	500 g	<input checked="" type="checkbox"/>	10 kg	<input checked="" type="checkbox"/>
26000200		26000400		26000050		26000910	

Press pack Spray Brush-top can Bucket



For further packing sizes and more
detailed product information, please
visit our website www.weicon.com



Plastic Metal

WEICON Plastic Metal is ideal for providing fast, cost-effective and durable repairs and coatings to many different types of material.

WEICON SF

- pasty, steel filled
- for fast repairs (5 minute pot life)
- certified by DNV GL

0,5 kg ✓
10250005

2,0 kg ✓
10250020



WEICON HB 300

- steel filled
- pasty, for spatula application
- high-temperature-resistant from -35°C to +280°C (-31°F to +536°F)

1,0 kg ✓
10450010

WEICON Ceramic BL



- for the lining of heavily stressed pump housings
- liquid
- high-temperature-resistant from -35°C to +180°C (-31°F to +356°F)

0,5 kg ✓
10400005

2,0 kg ✓
10400020

Repair Sticks

The simple solution for all repair and maintenance works. Easy to use. Ready to use, can be easily cut into small amounts for minor repairs at any time.



Aqua

- for underwater applications
- ceramic-filled
- Ideal for quick repairs on damp and wet surfaces and for underwater applications

57 g ✓
10531057

115 g ✓
10531115

Copper



Certified to
NSF/ANSI 61

- very fast curing
- colour: copper
- NSF drinking water certificate ANSI Standard 61

57 g ✓
10530057

115 g ✓
10530115

Steel



Certified to
NSF/ANSI 61

- fast curing
- colour: dark grey
- NSF drinking water certificate ANSI Standard 61

57 g ✓
10533057

115 g ✓
10533115

WEICON GMK 2410

GMK 2410 is an adhesive based on polychloroprene (CR) for the high-strength, full-surface and flexible bonding of

- rubber to rubber
- rubber to metal

WEICON GK 2410 also bonds cellular rubber (e.g. neoprene), PE foam, leather, felt, insulating material, textiles, wood, and many plastics.

- high strength
- for large surfaces
- resistant to humidity



185 g ✓ 16100185	300 g ✓ 16100300
Tube	Can
350 g ✓ 16100350	700 g ✓ 16100700
Brush top	Can
5 kg ✓ 16100905	25 kg ✓ 16100925
Bucket	Bucket



WEICON Solutions for

Maintenance



No.1 in Form & Funktion

Since 1967 we develop, produce and distribute an extensive range of wire stripping tools. This includes cable strippers, wire strippers, dismantling and multi-functional tools. Our tools have been developed for accurate, fast and safe stripping of all common cable

Wire Stripper No. 5

- for finely stranded and solid conductors with PVC insulation
- for all common conductors from 0,2 - 6 mm² (24 - 10 AWG)

51000005



Cable Stripper No. S 4-28 Multi

- stripping function integrated in the housing
- wire stripping of all common round cables of 0,5 und 6 mm²

50057328



Quadro-Stripper No. 16

- multifunctional with optimized cable routing
- circular and longitudinal cutting - stripping - cutting
- exchangeable hook blade, firmly locked in any position
- anti-slip handle shape

52000016



Cable Scissors No. 35

- cutting - stripping - crimping
- 2-component handles for increased safety
- high cutting performance
- blades made of special stainless steel

52000035



inkl. Safetybox with belt clip

Cu/Al
≤ 35 mm²
Cu/Al
≤ 50 mm²

types. They carry the GS seal of TÜV Nord and were developed under the aspects of work safety. The tools are specifically tailored to the needs of professional users, are found in both, crafts and industrial use and are also suitable for domestic use.

Wire Stripper No. 7 Magic

- for finely stranded and solid conductors with PVC insulation
- for all common round cables from 0,5 - 16 mm² (20 - 6 AWG flexible) (20 - 8 AWG massive)

51000007



Multi-Opener

The ideal tool for the gently opening of sensitive equipment and dismounting of clipped housings

- no scratching of sensitive surfaces
- conductive ESD material protects against electrostatic discharge
- flexible fibreglass-reinforced polyamide

52800000



Starter-Set Pro

- Wire Stripper No. 5
- Coax-Stripper No. 2
- Cable Stripper No. S 4-28
- Round Cable Stripper No. 13

52880001



**WEICON GmbH & Co. KG
(Headquarters)**

Königsberger Str. 255 · DE-48157 Münster
P.O. Box 84 60 · DE-48045 Münster
Germany
phone +49 (0) 251 9322 0
info@weicon.de

WEICON Middle East L.L.C.

Jebel Ali Ind Area 1
P.O. Box 118 216 · Dubai
United Arab Emirates
phone +971 4 880 25 05
info@weicon.ae

WEICON Inc.

20 Steckle Place · Unit 20
Kitchener · Ontario N2E 2C3 · Canada
phone +1 877 620 8889
info@weicon.ca

WEICON Kimya Sanayi Tic. Ltd. Şti.

Orhan Gazi Mahallesi 16. Yol Sokak No: 6
34517 Hadimköy-Esenyurt · İstanbul
Turkey
phone +90 (0) 212 465 33 65
info@weicon.com.tr

WEICON Romania SRL

Orhan Gazi Mahallesi 16. Yol Sokak No: 6
Str. Podului Nr. 1
547176 Budiu Mic (Targu Mures) · Romania
phone +40 (0) 3 65 730 763
office@weicon.com

WEICON SA (Pty) Ltd

Unit No. D1 · Enterprise Village
Capricorn Drive · Capricorn Park
Muizenberg 7945 (Cape Town) · South Africa
phone +27 (0) 21 709 0088
info@weicon.co.za

WEICON South East Asia Pte Ltd

7 Soon Lee Street
#01-11 iSPACE · Singapore 627608
Phone (+65) 6710 7671
info@weicon.com.sg

WEICON Czech Republic s.r.o.

Teplická 305
CZ-417 61 Teplice-Bystřany
Česká republika
phone +42 (0) 417 533 013
info@weiconcz.cz

WEICON Ibérica S.L.

Av. de Somosierra 18, Nave 6
San Sebastián de los Reyes
28703 Madrid · Spain
phone +34 (0) 914 7997 34
info@weicon.es

WEICON Italia S.r.l.

Via Capitano del Popolo, 20
16156 Genova · Italy
phone +39 (0) 329 235 9592
info@weicon.it

www.weicon.com

Management System
ISO 9001:2015
ISO 14001:2015
www.tuv.com
ID: 9108636595

Distributed by:

WEICON Solutions for
Maintenance

Art.-No. 10903302

Any product specifications and recommendations given herein must not be seen as guaranteed product characteristics. They are based on our laboratory tests and on practical experience. Since individual application conditions are beyond our knowledge, control and responsibility, this information is provided without any obligation. We do warrant the continuously high quality of our products being free from defects in accordance with and subject to our General Sales Conditions. However, own adequate laboratory and practical tests to find out if the product in question meets the requested properties are recommended. A claim cannot be derived from them. The user bears the only responsibility for non-proprietary or other than specified applications.