





WEICON Solutions for

Maintenance



www.weicon.com/app



www.weicon.com

V 1.18

For further detailed product information please visit www.welcon.com or use the WELCON App



Technical Sprays and Technical Liquids

Technical sprays and liquid substances are used in almost all areas of industry. They are used for the care and protection of

surfaces, for cleaning and degreasing, lubricating, releasing and separating and are an indispensable part of daily work.

Cleaner Spray S

- powerful
- evaporates without residues
- not regreasing

500 ml 11202500 5 L 15200005

Multi Foam

- powerful universal cleaner for residue-free cleaning
- cleans the most diverse types of surfaces such as metal, plastic, glass, ceramics or lacquered and coated surfaces

400 ml 11200400

Surface Cleaner

- for pretreatment of bonding surfaces
- evaporates quickly without residues
- for metal and plastic

400 ml 11207400 5 L 15207005

Citrus Cleaner

- universal cleaner based on citrus peel extracts
- cleans machines and systems, precision engineering components and precision mechanisms

400 ml 11217400 5 L 15210005



Rust Shock

- the chemical wrench
- free of mineral oil, grease and silicone
- loosens threaded joints within a very short time

400 ml 11151400

Rust Converter

- rust converter and base coat in one process
- protects from corrosion and is suitable for internal and external use

400 ml 11155400

WSD 400 Pressurized-Air Spray Can

- refillable
- made of aluminium
- container volume of 400 ml

400 ml 15811400



Rust Protection 2000 PLUS

- high corrosion and weathering resistance

400 ml 11012400 charcoal-grey 400 ml 11013400 silver-grey

Sealant and Adhesive Remover

- removes residues of hardened sealants and adhesives as well as lacquers and paints
- can be used on metal, wood, glass, ceramics, polyethylene and polypropylene

400 ml 11202400 5 L 15213005

Silicone Spray

- sliding and release agent
- provides a durable separating film
- high sliding effect

400 ml 11350400

Alu Grinding Protection

- effective with all abrasives
- silicone-free
- the grinding performance can be increased by up to 350%

400 ml 11451400

Contact Spray

- protection and care of electrical contacts and components
- keeps contacts, fuses and cable connections free of oxidation

400 ml 11152400

Zinc Spray bright grade

- coating of welded joints and drilled holes
- long-term corrosion protection
- with a bright colour shade matched to hot galvanization

400 ml 11001400



Bio-Cut

- drilling and tapping oil
- biodegradable
- enables higher cutting performance

250 ml 15750002 400 ml 11750400 5 L 15750005



Maintenance

Technical Sprays and Technical Liquids



NEW
500 ml

Double Nozzle
Only for the 500 ml product



Belt Dressing Spray

- prevents belt slip
- for all kinds of drive belts
- can also be used during ongoing operation

400 ml ✓
11511400

Pneuma-Lube

- lubricant for pneumatic equipment
- excellent weathering resistance
- high content of PTFE

400 ml ✓ 1 L ✓
11260400 15260001

W 44 T® Multi-Spray

- lubricates precision mechanics
- dispels moisture
- corrosion protection

400 ml ✓ 500 ml ✓ 5 L ✓
11251400 11251550 15251005

Epoxy Adhesives

Fast-Metal Minute Adhesive

- highly filled
- fast-curing
- gap-filling

24 ml ✓
10551024

-50°C (-58°F)
to +145°C (+293°F)



Plastic-Bond

- excellent adhesion on plastics
- high strength
- shock and impact resistant

24 ml ✓
10565024 Can alternatively be processed with Quadro Mixing Nozzle (Art.-No. 10650005).



Epoxy Minute Adhesive

- transparent
- fast-curing
- high adhesive strength

24 ml ✓
10550024

Can alternatively be processed with Quadro Mixing Nozzle (Art.-No. 10650005).



Quadro Mixing Nozzle



10650005

Assembly Pastes

All kinds of influencing factors, e.g. moisture, temperature or friction, repeatedly lead to corrosion damage, seizure and wear on machines and installations.

Extensive repair and maintenance work at considerable costs are the consequence.

Especially under extreme conditions of application, e.g.

- high operation temperatures
- high pressure loads
- outdoor weather conditions

such consequences frequently occur.

Anti-Seize

- long-lasting protection against corrosion, seizure and wear
- high temperature resistant up to +1.200°C (+2192°F)
- exceptionally good separating effect

200 ml ✓ 500 g ✓ 10 kg ✓
26000200 26000050 26000910
Press pack Brush-top can Bucket



For further detailed product information please visit www.weicon.com or use the WEICON App



WEICONLOCK® - Anaerobic adhesives and sealants

Especially designed for economical threadlocking, retaining and sealing of threaded, cylindrical and pipe assemblies.

After curing, the adhesive bonding is resistant to vibration, impact, chemicals, solvents and temperature from -60°C to +150 °C (-76°F to +302°F).



AN 302-43



- threadlocking
- thread connections up to M 36
- drinking water and DVGW approval

higher viscosity
medium strength
disassembly with normal tools

50 ml ✓
30243150

AN 302-70



- locking of threads and stud bolts
- thread connections up to M 36
- drinking water and DVGW approval

medium viscosity
high strength
hard to disassemble

50 ml ✓
30270150

AN 305-42



- hydraulic and pneumatic sealing
- DVGW approval

medium viscosity
medium strength
disassembly with normal tools

50 ml ✓
30542150



AN 305-72



- pipe and flange sealing with PTFE
- immediate sealing effect
- drinking water and DVGW approval

high viscosity
medium strength
disassembly with normal tools

50 ml ✓ 300 ml ✓
30572150 30572300



AN 306-38



- adhesive for bearings and bolts
- for bearings, bushings, gear wheels and bolts when gaps are up to 0,2 mm

medium viscosity
high strength
hard to disassemble

50 ml ✓
30638150

AN 305-77



- sealing of threaded pipes and fittings
- drinking water and DVGW approval for oxygen

high viscosity
high strength
hard to disassemble

50 ml ✓ 300 ml ✓
30577150 30577300

BAM tested and safety-related evaluated according to leaflet M 031-1
"List of non metallic materials compatible with oxygen"
(DGVU information 213-078) of BG RCI

Contact – Cyanoacrylate Adhesives

WEICON Contact are solvent-free instant adhesives. They bond various materials, such as metal, glass, wood, plastic, ceramic, leather and rubber, to and among each other in seconds.



O-Ring bonding

VA 100

- Cyanoacrylate Adhesive for rubber and plastics
- medium viscosity
- slightly longer curing

30 g ✓
12050030



WEICON O-Ring Bonding Set

Content:

- 12603012 Contact VA 30 Black 12 g
- 11207150 Surface Cleaner 150 ml
- 12450010 Contact Primer 10 ml
- 13250000 WEICON Safety Knife

1 m round cord (NBR) each:
Ø 2, 3, 4, 6 und 8 mm

Set ✓
12508030



WEICON Solutions for Maintenance

Elastic Adhesives and Sealants

Elastic adhesives and sealants are used today in many areas of industrial production and assembly. They combine the advantages of

adhesive bonding and sealing technology and are used wherever the elasticity and the sealing of a joint are the most important requirements.



Speed-Flex®

- replaces traditional fixings
- high initial strength; also suitable for vertical surfaces
- for in- and outside applications

310 ml ✓ 310 ml ✓
 13600310 13602310
 white grey



WEICON
Cartridge Gun „Special“
 13250002

HT 300

- solid percentage of 100%
- temperature resistant from -60°C to +300°C
- breaking elongation of 500%

85 ml ✓ 310 ml ✓
 13050085 13050310
 Tube Cartridge



Black-Seal

- extremely resistant against oil, grease and chemicals
- breaking elongation of 500%

85 ml ✓ 200 ml ✓ 310 ml ✓
 13051085 13051200 13051310
 Tube Press pack Cartridge



Flex+bond®

- highly elastic and strong
- ISEGA certificate
- free of silicone



200 ml ✓ 200 ml ✓ 200 ml ✓ 200 ml ✓
 13350200 13352200 13351200 13353200
 Press pack Press pack Press pack Press pack
 white black grey transparent



85 ml ✓ 85 ml ✓ 85 ml ✓ 85 ml ✓
 13350085 13352085 13351085 13353085
 white black grey transparent

Threadlocking Varnish

- protection and safety against manipulation
- solvent-based, fast drying securing
- durable against water, petrol, diesel, mineral oil, paraffin oil and diluted acids and lyes

30 g ✓ 30 g ✓ 30 g ✓
 30020030 30021030 30022030
 red yellow green



For further detailed product information please visit www.weicon.com or use the WEICON App



Plastic Metal

WEICON Plastic Metal is ideal for providing fast, cost-effective and durable repairs and coatings to many different types of material.

WEICON SF

- pasty, steel filled
- for fast repairs (5 minute pot life)
- certified by Germanischer Lloyd



0,5 kg ✓ 2,0 kg ✓
10250005 10250020

WEICON HB 300

- steel filled
- pasty, for spatula application
- high temperature resistant (-35°C to +280°C)

1,0 kg ✓
10450010

WEICON Keramik BL

- for the lining of heavily stressed pump housings
- liquid
- high temperature resistant from -35°C (-31°F) to +180°C (+356°F)

0.5 kg ✓ 2.0 kg ✓
10400005 10400020

Repair Sticks

The easy solution for all repair and maintenance work. Always the right portion, even for small repairs, easy use.



Aqua

- for underwater applications
- ceramic-filled

57 g ✓ 115 g ✓
10531057 10531115

Copper



- very fast curing
- colour: copper
- NSF drinking water certificate ANSI Standard 61

57 g ✓ 115 g ✓
10530057 10530115

Steel



- fast curing
- colour: dark grey
- NSF drinking water certificate ANSI Standard 61

57 g ✓ 115 g ✓
10533057 10533115

WEICON GMK 2410

GMK 2410 is an adhesive based on polychloroprene (CR) for the high-strength, full-surface and flexible bonding of

- rubber to rubber
- rubber to metal

WEICON GK 2410 also bonds cellular rubber (e.g. neoprene), PE foam, leather, felt, insulating material, textiles, wood, and many plastics.

- high strength
- for large surfaces
- resistant to humidity



185 g ✓ 300 g ✓
16100185 16100300
Tube Can

350 g ✓ 700 g ✓
16100350 16100700
Brush top can Can

5 kg ✓ 25 kg ✓
16100905 16100925
Bucket Bucket



WEICON Solutions for Maintenance

WEICON TOOLS®

No. 1 in Form & Funktion

KNIFE-STEEL
Quality from Solingen



Since 1967 we develop, produce and distribute an extensive range of wire stripping tools. This includes cable strippers, wire strippers, dismantling and multi-functional tools. Our tools have been developed for accurate, fast and safe stripping of all common cable

types. They carry the GS seal of TÜV Nord and were developed under the aspects of work safety. The tools are specifically tailored to the needs of professional users, are found in both, crafts and industrial use and are also suitable for domestic use.

Wire Stripper No. 5

- for finely stranded and solid conductors with PVC insulation
- for all common conductors from 0,2 - 6 mm² (24 - 10 AWG)

51000005



Wire Stripper No. 7 Magic

- for finely stranded and solid conductors with PVC insulation
- for all common round cables from 0,5 - 16 mm² (20 - 6 AWG flexible) (20 - 8 AWG massive)

51000007



Multi-Opener

The ideal tool for the gently opening of sensitive equipment and dismantling of clipped housings

- no scratching of sensitive surfaces
- conductive ESD material protects against electrostatic discharge
- flexible fibreglass-reinforced polyamide



52800000



Cable Stripper No. S 4-28 Multi

- stripping function integrated in the housing
- wire stripping of all common round cables of 0,5 und 6 mm²

50057328



Quadro-Stripper No. 16

- circular and longitudinal cutting - stripping - cutting
- exchangeable hook blade, firmly locked in any position
- anti-slip handle shape

52000016



Cable Scissors No. 35

- 2-component handles for increased safety
- high cutting performance
- blades made of special stainless steel

52000035

Starter-Set Pro

- Wire Stripper No. 5
- Coax-Stripper No. 2
- Cable Stripper No. S 4-28
- Round Cable Stripper No. 13

52880001



WEICON GmbH & Co. KG (Headquarters)

Königsberger Str. 255 · DE-48157 Münster
P.O. Box 84 60 · DE-48045 Münster
Germany
phone +49 (0) 251 9322 0
info@weicon.de

WEICON Middle East L.L.C.

Jebel Ali Ind Area 1
P.O. Box 118 216 · Dubai
United Arab Emirates
phone +971 4 880 25 05
info@weicon.ae

WEICON Inc.

20 Steckle Place · Unit 20
Kitchener · Ontario N2E 2C3 · Canada
phone +1 877 620 8889
info@weicon.ca

WEICON Kimya Sanayi Tic. Ltd. Şti.

Orhan Gazi Mahallesi 16. Yol Sokak No: 6
34517 Hadimköy-Esenyurt · Istanbul
Turkey
phone +90 (0) 212 465 33 65
info@weicon.com.tr

WEICON Romania SRL

Str. Podului Nr. 1
547176 Budiu Mic (Targu Mures) · Romania
phone +40 (0) 3 65 730 763
office@weicon.com

WEICON SA (Pty) Ltd

Unit No. D1 · Enterprise Village
Capricorn Drive · Capricorn Park
Muizenberg 7945 (Cape Town) · South Africa
phone +27 (0) 21 709 0088
info@weicon.co.za

WEICON South East Asia Pte Ltd

7 Soon Lee Street
#01-11 iSPACE · Singapore 627608
Phone (+65) 6710 7671
info@weicon.com.sg

WEICON Czech Republic s.r.o.

Teplická 305
CZ-417 61 Teplice-Bystřany
Česká republika
phone +42 (0) 417 533 013
info@weiconcz.cz

WEICON Ibérica S.L.

Av. de Somo Sierra 18, Nave 6
San Sebastián de los Reyes
28703 Madrid
phone +34 (0) 914 7997 34
info@weicon.es

WEICON Italia S.r.L.

phone +39 (0) 329 235 9592
info@weicon.it

www.weicon.com



Management System
ISO 9001:2015
ISO 14001:2015

www.tuv.com
ID 9108636595



WEICON Solutions for
Maintenance

Art.-No. 10903302

Distributed by:

Any product specifications and recommendations given herein must not be seen as guaranteed product characteristics. They are based on our laboratory tests and on practical experience. Since individual application conditions are beyond our knowledge, control and responsibility, this information is provided without any obligation. We do warrant the continuously high quality of our products being free from defects in accordance with and subject to our General Sales Conditions. However, our adequate laboratory and practical tests to find out if the product in question meets the requested properties are recommended. A claim cannot be derived from them. The user bears the only responsibility for non-appropriate or other than specified applications.
BL/10903302/10/18